

MCCBs: DRX™ and DPX³

Legrand now has two distinct ranges of MCCBs

DRX™ -- Thermal magnetic release only.

DPX³ -- Thermal magnetic and Microprocessor releases.

DRX™, is available upto 100 A, and finds applications in both, residential and commercial. Accessories like the Rotary Handles, Moulded Shrouds, Cage Terminals etc. are available in the range.



DRX 100

Current rating from 60 to 100 A
Breaking Capacity 10 kA
Thermal Magnetic release

DPX³ available in 5 frame sizes, covers requirements from 16 A upto 1600 A, with adjustable thermal and magnetic releases. Optional accessories like Rotary Handles, Motor Operators etc. are also available. **DPX³** can also be used as an Automatic Transfer Switch (Source transfer S/W) $I_{cs} = 100\% I_{cu}$



DPX³ 160

Current rating from 16 to 160 A
Breaking capacity 16 kA to 50 kA
Thermal magnetic release
Optional integrated earth leakage available



DPX³ 250

Current rating 40 Amp to 250 Amp
Breaking capacity 25 kA to 70 kA
Thermal magnetic release & microprocessor release
Optional integrated earth leakage available



DPX³ 630

Thermal Magnetic & Electronic type
Current rating – 320 A to 630 A
Breaking capacity – 36 kA to 100 kA



DPX³ 1600

Thermal Magnetic & Electronic type
Current rating – 800 A to 1600 A
Breaking capacity – 36kA to 100 kA

DRX™ MCCB

Type and frame size	Rated Current (A)	Poles	Cat.Nos	MRP* ₹ / Unit	Pack
---------------------	-------------------	-------	---------	---------------	------

DRX MCCBs

DRX 100 Icu = 10 kA	63 A	3 Pole	0270 39	2362	1/12
	75 A	3 Pole	0270 07	2362	1/12
	100 A	3 Pole	0270 08	2362	1/12
	63 A	4 Pole	0270 29	3694	1/12
	75 A	4 Pole	0270 17	3694	1/12
	100 A	4 Pole	0270 18	3694	1/12

Description	Cat.Nos	MRP* ₹ / Unit	Pack
-------------	---------	---------------	------

DIN rail adaptor

DRX 100	0271 87	396	1
---------	---------	-----	---

Rotary handles - Direct

DRX 100	6687 70	1190	1
---------	---------	------	---

Rotary handles - vary-depth

DRX 100	6687 71	2060	1
---------	---------	------	---

Padlocking support for operating handle

DRX 100	0271 80	132	1
---------	---------	-----	---

Connection accessories

Set of 2 shields for 3 pole	0271 81	94	1
-----------------------------	---------	----	---

Sealable terminal shields (moulded shrouds)

For DRX 100 - 3 pole	0271 83	1296	1
For DRX 100 - 4 pole	0271 84	1294	1

Cage terminals

For DRX 100 - 3 pole	0271 71	252	1
For DRX 100 - 4 pole	0271 73	264	1

Electrical accessories

Block with 1 auxiliary (1 AUX)	0271 40	822	1
Block with 1 alarm (1 AL)	0271 41	840	1
Block with 1 auxiliary + 1 alarm (1 AUX + 1 AL)	0271 42	1380	1

Current shunt coils

200/277 V \sim and =	0271 54	1714	1
380/480 V \sim and =	0271 55	1714	1

Undervoltage release coils

200/240 V \sim	0271 64	1986	1
380/415 V \sim	0271 65	2016	1


DRX spreader links

3 Links set for TP	6250 10	170	1
4 Links set for FP	6250 11	254	1

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
Red Cat.Nos - new products

P17 TEMPRA PRO

Ensuring a quick installation



Mobile plugs and sockets

1 QUICK OPENING/CLOSING SYSTEM

Unlocked by pressing with a screwdriver. Marking indicates the location for the locking clip. Opened by turning the 2 parts in opposite directions.



Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ MCCB

DPX³ MCCB with Thermal Magnetic Protection Unit

- Range: 16A – 1250A, **Ics=100%Icu**, Four Optimum Frames
- Thermal Adjustable – 0.8 to 1In, Magnetic Adjustable** – 5 to 10In
- Breaking Capacity# – 16kA, 25kA, 36kA, 50kA, 70kA & 100kA
- **Option for In built or add on module for Earth Leakage Protection##**
 - Adjustable sensitivity: 0.03 - 0.3 - 1 - 3 A
 - Adjustable tripping: 0 - 0.3 - 1 - 3s
- Suitable for Isolation

Category	Type	Rated Current (A)	3P			4P		
			Cat.No	MRP*/₹ /Unit	Pack	Cat.No	MRP*/₹ /Unit	Pack

Thermal Magnetic : O/L & S/C protection

16 KA	DPX ³ 160	16	4200 00	5670	1	4200 10	7520	1
		25	4200 01	5670	1	4200 11	7520	1
		40	4200 02	5670	1	4200 12	7520	1
		63	4200 03	5670	1	4200 13	7520	1
		80	4200 04	5670	1	4200 14	7520	1
		100	4200 05	5670	1	4200 15	7520	1
		125	4200 06	6250	1	4200 16	7900	1
		160	4200 07	8300	1	4200 17	10450	1
25 KA	DPX ³ 160	16	4200 40	5950	1	4200 50	8350	1
		25	4200 41	5950	1	4200 51	8350	1
		40	4200 42	5950	1	4200 52	8350	1
		63	4200 43	5950	1	4200 53	8350	1
		80	4200 44	5950	1	4200 54	8350	1
		100	4200 45	5950	1	4200 55	8350	1
		125	4200 46	8900	1	4200 56	10800	1
		160	4200 47	11900	1	4200 57	13750	1
	DPX ³ 250	200	4202 08	15326	1	4202 18	18516	1
		250	4202 09	17766	1	4202 19	23938	1
36 KA	DPX ³ 160	16	4200 80	7700	1	4200 90	9250	1
		25	4200 81	7700	1	4200 91	9250	1
		40	4200 82	7700	1	4200 92	9250	1
		63	4200 83	7700	1	4200 93	9250	1
		80	4200 84	7700	1	4200 94	9250	1
		100	4200 85	7700	1	4200 95	9250	1
		125	4200 86	9000	1	4200 96	12250	1
		160	4200 87	12100	1	4200 97	13850	1
	DPX ³ 250	200	4202 38	19252	1	4202 48	25560	1
		250	4202 39	21366	1	4202 49	27372	1
	DPX ³ 630	320	4220 01	24302	1	4220 06	28980	1
		400	4220 02	24302	1	4220 07	29616	1
		500	4220 03	30064	1	4220 08	37546	1
		630	4220 04	30064	1	4220 09	38508	1
		800	4222 52	46112	1	4222 57	51876	1
		1000	4222 53	60186	1	4222 58	76086	1
50 KA	DPX ³ 160	1250	4222 54	86000	1	4222 59	91534	1
		16	4201 20	9350	1	4201 30	11850	1
		25	4201 21	9350	1	4201 31	11850	1
		40	4201 22	9350	1	4201 32	11850	1
		63	4201 23	9350	1	4201 33	11850	1
		80	4201 24	9350	1	4201 34	11850	1
		100	4201 25	9350	1	4201 35	11850	1
		125	4201 26	12600	1	4201 36	15100	1
	DPX ³ 250	160	4201 27	14750	1	4201 37	15600	1
		200	4202 68	21668	1	4202 78	27372	1
	DPX ³ 630	250	4202 69	22874	1	4202 79	28470	1
		320	4220 15	25652	1	4220 20	31264	1
		400	4220 16	26204	1	4220 21	31264	1
		500	4220 17	33348	1	4220 22	42114	1
630		4220 18	33348	1	4220 23	43182	1	
800		4222 64	47214	1	4222 69	57640	1	
DPX ³ 1600	1000	4222 65	73646	1	4222 70	86462	1	
	1250	4222 66	108192	1	4222 71	115282	1	

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
MCCB Prices are without spreaders. For ordering spreaders refer page no. 21
** Fixed at 10In for DPX³ 160
Refer Catalogue for frame wise data
For DPX³ 160, DPX³ 250 and DPX³ 630 Only

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by
Legrand (India) Stockist in multiples of the same.

DPX³ MCCB

Category	Type	Rated Current (A)	3P			4P		
			Cat.No	MRP*/₹ /Unit	Pack	Cat.No	MRP*/₹ /Unit	Pack

Thermal Magnetic : O/L & S/C protection

70 KA	DPX ³ 250	100	4206 05	19566	1	4206 15	21596	1
		160	4206 07	24446	1	4206 17	30394	1
		200	4206 08	30100	1	4206 18	37036	1
		250	4206 09	31984	1	4206 19	38554	1
		320	4220 29	32676	1	4220 34	40470	1
	DPX ³ 630	400	4220 30	32682	1	4220 35	40470	1
		500	4220 31	42622	1	4220 36	54910	1
		630	4220 32	44794	1	4220 37	54910	1
		800	4222 76	78100	1	4222 81	90542	1
		1000	4222 77	118268	1	4222 82	167454	1
	DPX ³ 1600	1250	4222 78	126006	1	4222 83	193092	1



4222 78



4222 83

Thermal Magnetic + Electronic earth leakage module

16 KA	DPX ³ 160	16	-	-	-	4200 30	25820	1		
		25	-	-	-	4200 31	25820	1		
		40	-	-	-	4200 32	25820	1		
		63	-	-	-	4200 33	25820	1		
		80	-	-	-	4200 34	25820	1		
		100	-	-	-	4200 35	25820	1		
		125	-	-	-	4200 36	27236	1		
		160	-	-	-	4200 37	33226	1		
25 KA	DPX ³ 160	16	-	-	-	4200 70	32406	1		
		25	-	-	-	4200 71	32406	1		
		40	-	-	-	4200 72	32406	1		
		63	-	-	-	4200 73	32406	1		
		80	-	-	-	4200 74	32406	1		
		100	-	-	-	4200 75	32406	1		
		125	-	-	-	4200 76	32418	1		
		160	-	-	-	4200 77	38270	1		
	DPX ³ 250	100	-	-	-	4202 25	43636	1		
		160	-	-	-	4202 27	45868	1		
36 KA	DPX ³ 160	16	-	-	-	4201 10	33786	1		
		25	-	-	-	4201 11	33786	1		
		40	-	-	-	4201 12	33786	1		
		63	-	-	-	4201 13	33786	1		
		80	-	-	-	4201 14	33786	1		
		100	-	-	-	4201 15	33786	1		
		125	-	-	-	4201 16	33970	1		
		160	-	-	-	4201 17	40404	1		
	DPX ³ 250	100	-	-	-	4202 55	43380	1		
		160	-	-	-	4202 57	50528	1		
		200	-	-	-	4202 58	52996	1		
		250	-	-	-	4202 59	56670	1		
		50KA	DPX ³ 160	16	-	-	-	4201 50	38038	1
				25	-	-	-	4201 51	38038	1
40	-			-	-	4201 52	38038	1		
63	-			-	-	4201 53	38038	1		
80	-			-	-	4201 54	38038	1		
100	-			-	-	4201 55	38038	1		
125	-			-	-	4201 56	40528	1		
160	-			-	-	4201 57	43376	1		
DPX ³ 250	100		-	-	-	4202 85	50612	1		
	160		-	-	-	4202 87	58584	1		
DPX ³ 250	200	-	-	-	4202 88	61724	1			
	250	-	-	-	4202 89	65580	1			



4202 25



4201 57

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
MCCB Prices are without spreaders. For ordering spreaders refer page no. 21

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ MCCB

DPX³ MCCB with Electronic S2* (LSI)* Protection Unit

- Range: 40A – 1600A, **Ics=100%Icu**, Three Optimum Frames
- **Protection against overloads:**
 - Ir adjustable from 0.4 to 1 x In
 - tr adjustable from 3 to 30s#
- **Protection against short circuits:**
 - I_{sd} adjustable from 1.5 to 10 x Ir
 - t_{sd} adjustable from 0 to 0.5s
- **Inbuilt Instantaneous Protection:**
 - Ii# – Fixed
- **Option for In built or add on module for Earth Leakage Protection##**
 - Adjustable sensitivity: 0.03 - 0.3 - 1 - 3 A
 - Adjustable tripping: 0 - 0.3 - 1 - 3s
- Breaking Capacity# – 25kA, 36kA, 50kA, 70kA & 100kA
- In built Display for Current Metering with accuracy of class 1
- Internal Battery with battery measure function
- Communication Ready via COMM Port
- Logical Selectivity Ready (Zone Selective Interlocking)
- Dynamic Selectivity as per Selectivity Charts
- In Built USB Port for Software Diagnosis
- Suitable for Isolation



Category	Type	Rated Current (A)	3P			4P		
			Cat.No	MRP*/ ₹ /Unit	Pack	Cat.No	MRP*/ ₹ /Unit	Pack

Electronic S2

25 KA	DPX ³ 250	40	4203 02	15192	1	4203 12	19948	1
		100	4203 05	15192	1	4203 15	19948	1
		160	4203 07	19684	1	4203 17	23542	1
		250	4203 09	25670	1	4203 19	33120	1
36 KA	DPX ³ 250	40	4203 32	16170	1	4203 42	19930	1
		100	4203 35	16170	1	4203 45	19930	1
		160	4203 37	20264	1	4203 47	27038	1
		250	4203 39	27148	1	4203 49	37140	1
	DPX ³ 630	320	4220 57	30722	1	4220 62	38348	1
		400	4220 58	30722	1	4220 63	37546	1
		500	4220 59	34376	1	4220 64	46110	1
		630	4220 60	35096	1	4220 65	47080	1
		800	4223 00	56946	1	4223 06	70322	1
		1000	4223 01	87192	1	4223 07	128662	1
50 KA	DPX ³ 250	1250	4223 02	105066	1	4223 08	156496	1
		1600	4223 03	130026	1	4223 09	174652	1
		40	4203 62	19632	1	4203 72	25738	1
		100	4203 65	19632	1	4203 75	25738	1
	DPX ³ 630	160	4203 67	23706	1	4203 77	28306	1
		250	4203 69	31632	1	4203 79	38288	1
		320	4220 67	33918	1	4220 72	43256	1
		400	4220 68	33918	1	4220 73	43256	1
500		4220 69	39628	1	4220 74	49536	1	
630		4220 70	39628	1	4220 75	49536	1	
800		4223 12	65230	1	4223 18	87958	1	
1000		4223 13	90728	1	4223 19	126450	1	
70 KA	DPX ³ 250	1250	4223 14	110094	1	4223 20	160478	1
		1600	4223 15	154190	1	4223 21	196038	1
		40	4206 35	26264	1	4206 45	34744	1
		100	4206 37	26264	1	4206 47	34744	1
	DPX ³ 630	160	4206 38	40144	1	4206 48	46120	1
		250	4206 39	45836	1	4206 49	59156	1
		320	4220 77	44652	1	4220 82	57638	1
		400	4220 78	44652	1	4220 83	57638	1
		500	4220 79	50806	1	4220 84	64792	1
		630	4220 80	50806	1	4220 85	64792	1
		800	4223 24	88376	1	4223 30	111842	1
1000		4223 25	123846	1	4223 31	176750	1	
1250		4223 26	148312	1	4223 32	206206	1	
1600	4223 27	199372	1	4223 33	255292	1		

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
MCCB Prices are without spreaders. For ordering spreaders refer page no. 21
Refer Catalogue for frame wise data
For DPX³ 250 and DPX³ 630 Only

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by
Legrand (India) Stockist in multiples of the same.

DPX³ MCCB

DPX³ MCCB with Electronic Sg (LSIg) Protection Unit

- Range: 40A – 1600A, **Ics=100%Icu**, Three Optimum Frames
- **Protection against Overloads:**
 - Ir adjustable from 0.4 to 1 x In
 - tr adjustable from 3 to 30s[#]
- **Protection against Short Circuits:**
 - I_{sd} adjustable from 1.5 to 10 x Ir
 - tsd adjustable from 0 to 0.5s
- **Inbuilt Instantaneous Protection:**
 - li[#] – Fixed
- **Protection against Ground Fault:**
 - Ig adjustable from 0.2 to 1 In & OFF
 - tg adjustable from 0.1 to 1s
- **Option for In built or add on module for Earth Leakage Protection^{##}**
 - Adjustable sensitivity: 0.03 - 0.3 - 1 - 3 A
 - Adjustable tripping: 0 - 0.3 - 1 - 3s
- Breaking Capacity[#]– 25kA, 36kA, 50kA, 70kA & 100kA
- In built Display for Current Metering with high accuracy of class 1
- Internal Battery with battery measure function
- Communication Ready via COMM Port
- Logical Selectivity Ready (Zone Selective Interlocking)
- Dynamic Selectivity as per Selectivity Charts
- In Built USB Port for Software Diagnosis
- Switchable Thermal Memory
- Suitable for Isolation



Category	Type	Rated Current (A)	3P			4P		
			Cat.No	MRP*/ ₹ /Unit	Pack	Cat.No	MRP*/ ₹ /Unit	Pack

Electronic Sg

25 KA	DPX ³ 250	40	4205 02	33042	1	4205 12	36984	1	
		100	4205 05	33042	1	4205 15	36984	1	
		160	4205 07	36764	1	4205 17	40760	1	
		250	4205 09	40642	1	4205 19	47554	1	
36 KA	DPX ³ 250	40	4205 22	33796	1	4205 32	38072	1	
		100	4205 25	33796	1	4205 35	38072	1	
		160	4205 27	37318	1	4205 37	39582	1	
		250	4205 29	38326	1	4205 39	40590	1	
	DPX ³ 630	320	4221 37	42618	1	4221 42	46204	1	
		400	4221 38	42618	1	4221 43	46204	1	
		500	4221 39	46576	1	4221 44	56048	1	
		630	4221 40	46576	1	4221 45	56048	1	
		DPX ³ 1600	800	4223 96	84154	1	4224 02	101446	1
			1000	4223 97	111824	1	4224 03	147136	1
			1250	4223 98	125656	1	4224 04	175228	1
			1600	4223 99	137184	1	4224 05	207506	1
50 KA	DPX ³ 250	40	4205 42	35054	1	4205 52	38744	1	
		100	4205 45	35054	1	4205 55	38744	1	
		160	4205 47	38576	1	4205 57	40760	1	
		250	4205 49	39582	1	4205 59	47754	1	
	DPX ³ 630	320	4221 47	43750	1	4221 52	52074	1	
		400	4221 48	43930	1	4221 53	52074	1	
		500	4221 49	49844	1	4221 54	62862	1	
		630	4221 50	49844	1	4221 55	62862	1	
		DPX ³ 1600	800	4224 08	94614	1	4224 14	105598	1
			1000	4224 09	127056	1	4224 15	161048	1
			1250	4224 10	129980	1	4224 16	181452	1
			1600	4224 11	138684	1	4224 17	213214	1
	70 KA	DPX ³ 250	40	4206 92	45846	1	4207 02	51966	1
			100	4206 95	45846	1	4207 05	51966	1
			160	4206 97	56752	1	4207 07	61292	1
			250	4206 99	58122	1	4207 09	64500	1
DPX ³ 630		320	4221 57	57522	1	4221 62	70970	1	
		400	4221 58	57522	1	4221 63	70970	1	
		500	4221 59	66228	1	4221 64	90124	1	
		630	4221 60	66228	1	4221 65	90124	1	
		DPX ³ 1600	800	4224 20	100136	1	4224 26	120764	1
			1000	4224 21	139970	1	4224 27	216540	1
			1250	4224 22	185708	1	4224 28	250676	1
			1600	4224 23	250762	1	4224 29	295514	1

* MRP - Maximum Retail Price Inclusive of all taxes including GST.
MCCB Prices are without spreaders. For ordering spreaders refer page no. 21
Refer Catalogue for frame wise data
For DPX³ 250 and DPX³ 630 Only

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by
Legrand (India) Stockist in multiples of the same.

DPX³ MCCB

DPX³ MCCB with Electronic S2* (LSI)* & Energy Metering Protection Unit

- Range: 40A – 1600A, **Ics=100%Icu**, Three Optimum Frames
- **Protection against overloads:**
 - Ir adjustable from 0.4 to 1 x In
 - tr adjustable from 3 to 30s#
- **Protection against short circuits:**
 - I_{sd} adjustable from 1.5 to 10 x Ir
 - t_{sd} adjustable from 0 to 0.5s
- **Inbuilt Instantaneous Protection:**
 - Ii# – Fixed
- **Option for In built or add on module for Earth Leakage Protection##**
 - Adjustable sensitivity: 0.03 - 0.3 - 1 - 3 A
 - Adjustable tripping: 0 - 0.3 - 1 - 3s
- Breaking Capacity# – 25kA, 36kA, 50kA, 70kA & 100kA
- Integrated energy metering with accuracy class 2
- Measure for currents, voltage, frequency, power, energy and harmonics
- Internal Battery with battery measure function
- Communication Ready via COMM Port
- Logical Selectivity Ready (Zone Selective Interlocking)
- Dynamic Selectivity as per Selectivity Charts
- In Built USB Port for Software Diagnosis
- Suitable for Isolation



Category	Type	Rated Current (A)	3P			4P		
			Cat.No	MRP*/ ₹ /Unit	Pack	Cat.No	MRP*/ ₹ /Unit	Pack

Electronic S2 + Energy metering

25 KA	DPX ³ 250	40	4204 02	■	1	4204 12	■	1
		100	4204 05	■	1	4204 15	■	1
		160	4204 07	■	1	4204 17	■	1
		250	4204 09	■	1	4204 19	■	1
36 KA	DPX ³ 250	40	4204 32	■	1	4204 42	■	1
		100	4204 35	■	1	4204 45	■	1
		160	4204 37	■	1	4204 47	■	1
		250	4204 39	■	1	4204 49	■	1
	DPX ³ 630	320	4220 97	■	1	4221 02	■	1
		400	4220 98	■	1	4221 03	■	1
		500	4220 99	■	1	4221 04	■	1
		630	4221 00	■	1	4221 05	■	1
		800	4223 48	■	1	4223 54	■	1
		1000	4223 49	■	1	4223 55	■	1
50 KA	DPX ³ 250	1250	4223 50	■	1	4223 56	■	1
		1600	4223 51	■	1	4223 57	■	1
		40	4204 62	■	1	4204 72	■	1
		100	4204 65	■	1	4204 75	■	1
	DPX ³ 630	160	4204 67	■	1	4204 77	■	1
		250	4204 69	■	1	4204 79	■	1
		320	4221 07	■	1	4221 12	■	1
		400	4221 08	■	1	4221 13	■	1
500		4221 09	■	1	4221 14	■	1	
630		4221 10	■	1	4221 15	■	1	
800		4223 60	■	1	4223 66	■	1	
1000		4223 61	■	1	4223 67	■	1	
70 KA	DPX ³ 250	1250	4223 62	■	1	4223 68	■	1
		1600	4223 63	■	1	4223 69	■	1
		40	4206 65	■	1	4206 75	■	1
		100	4206 67	■	1	4206 77	■	1
	DPX ³ 630	160	4206 68	■	1	4206 78	■	1
		250	4206 69	■	1	4206 79	■	1
		320	4221 17	■	1	4221 22	■	1
		400	4221 18	■	1	4221 23	■	1
		500	4221 19	■	1	4221 24	■	1
		630	4221 20	■	1	4221 25	■	1
		800	4223 72	■	1	4223 78	■	1
		1000	4223 73	■	1	4223 79	■	1
DPX ³ 1600	1250	4223 74	■	1	4223 80	■	1	
	1600	4223 75	■	1	4223 81	■	1	

■ Price available on request.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

MCCB Prices are without spreaders. For ordering spreaders refer page no. 21

Refer Catalogue for frame wise data

For DPX³ 250 and DPX³ 630 Only

Bold Cat.Nos are products normally available with Legrand (India) Stockists.

Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.

Bold packing quantity is our mandatory packing. Orders to be placed by

Legrand (India) Stockist in multiples of the same.



4223 51



4223 54



4206 79

DPX³ MCCB

DPX³ MCCB with Electronic Sg (LSIg) & Energy Metering Protection Unit

- Range: 250A – 1600A, **Ics=100%Icu**, Two Optimum Frames
- **Protection against Overloads:**
 - Ir adjustable from 0.4 to 1 x In
 - tr adjustable from 3 to 30s
- **Protection against Short Circuits:**
 - I_{sd} adjustable from 1.5 to 10 x Ir
 - t_{sd} adjustable from 0 to 0.5s
- **Inbuilt Instantaneous Protection:**
 - li – Fixed
- **Protection against Ground Fault:**
 - I_g adjustable from 0.2 to 1 In & OFF
 - t_g adjustable from 0.1 to 1s
- **Option for add on module for Earth Leakage Protection**
 - Adjustable sensitivity: 0.03 - 0.3 - 1 - 3 A
 - Adjustable tripping: 0 - 0.3 - 1 - 3s
- Breaking Capacity – 36kA, 50kA, 70kA & 100kA
- Integrated energy metering with accuracy class 2
- Measure for currents, voltage, frequency, power, energy and harmonics
- Internal Battery with battery measure function
- Communication Ready via COMM Port
- Logical Selectivity Ready (Zone Selective Interlocking)
- Dynamic Selectivity as per Selectivity Charts
- In Built USB Port for Software Diagnosis
- Switchable Thermal Memory
- Suitable for Isolation



Category	Type	Rated Current (A)	3P			4P		
			Cat.No	MRP*/ ₹ /Unit	Pack	Cat.No	MRP*/ ₹ /Unit	Pack

Electronic Sg + Energy metering

36 KA	DPX ³ 630	320	4221 77	■	1	4221 82	■	1
		400	4221 78	■	1	4221 83	■	1
		500	4221 79	■	1	4221 84	■	1
		630	4221 80	■	1	4221 85	■	1
	DPX ³ 1600	800	4224 44	■	1	4224 50	■	1
		1000	4224 45	■	1	4224 51	■	1
		1250	4224 46	■	1	4224 52	■	1
		1600	4224 47	■	1	4224 53	■	1
50 KA	DPX ³ 630	320	4221 87	■	1	4221 92	■	1
		400	4221 88	■	1	4221 93	■	1
		500	4221 89	■	1	4221 94	■	1
		630	4221 90	■	1	4221 95	■	1
	DPX ³ 1600	800	4224 56	■	1	4224 62	■	1
		1000	4224 57	■	1	4224 63	■	1
		1250	4224 58	■	1	4224 64	■	1
		1600	4224 59	■	1	4224 65	■	1
70 KA	DPX ³ 630	320	4221 97	■	1	4222 02	■	1
		400	4221 98	■	1	4222 03	■	1
		500	4221 99	■	1	4222 04	■	1
		630	4222 00	■	1	4222 05	■	1
	DPX ³ 1600	800	4224 68	■	1	4224 74	■	1
		1000	4224 69	■	1	4224 75	■	1
		1250	4224 70	■	1	4224 76	■	1
		1600	4224 71	■	1	4224 77	■	1

Switch disconnector

	DPX ³ 160	160	4201 98	■	1	4201 99	■	1
	DPX ³ 250	250	4202 99	■	1	4203 00	■	1
	DPX ³ 630	400	4222 16	■	1	4222 18	■	1
		630	4222 17	■	1	4222 19	■	1

■ Price available on request.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

MCCB Prices are without spreaders. For ordering spreaders refer page no. 21

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. **Bold packing quantity** is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ MCCB

Category	Type	Rated Current (A)	3P			4P		
			Cat.No	MRP*/₹ /Unit	Pack	Cat.No	MRP*/₹ /Unit	Pack

Only magnetic

16 KA	DPX ³ 160	16	4207 10	11460	1	-	-	-
		25	4207 11	11460	1	-	-	-
		50	4207 12	11460	1	-	-	-
		63	4207 13	11460	1	-	-	-
25 KA	DPX ³ 160	16	4207 14	12734	1	-	-	-
		25	4207 15	12734	1	-	-	-
		50	4207 16	12734	1	-	-	-
		63	4207 17	12734	1	-	-	-
	DPX ³ 250	100	4207 22	20368	1	-	-	-
		160	4207 23	20368	1	-	-	-
		200	4207 24	21644	1	-	-	-
36 KA	DPX ³ 250	250	4207 25	22916	1	-	-	-
		100	4207 18	22240	1	-	-	-
		160	4207 19	22240	1	-	-	-
		200	4207 20	23516	1	-	-	-
		250	4207 21	24786	1	-	-	-

Accessories

Type	Rotary handle				Shunt release											
	Direct		Vary depth		12 V		24 V		48 V		110 V		230 V		400 V	
	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP
DPX ³ 160 DPX ³ 250	4201 60	1534	4201 61	2222	4210 12	2532	4210 13	2532	4210 14	2532	4210 15	2532	4210 16	2532	4210 17	2532
DPX ³ 630	4201 62	2454	4201 63	4220	-	-	4222 39	2426	4222 40	2426	4222 41	2426	4222 42	2426	4222 43	2426
DPX ³ 1600	0262 61	3352	0262 83	6244	-	-	-	-	-	-	-	-	-	-	-	-

Type	U/V release													
	12 V		24 V		48 V		110 V		230 V		400 V		480 V	
	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP
DPX ³ 160 DPX ³ 250	4210 18	2878	4210 19	2878	4210 20	2878	4210 21	2850	4210 22	2850	4210 24	2850	4210 25	2850
DPX ³ 630 DPX ³ 1600	-	-	4222 45	2866	4222 46	2866	4222 47	2840	4222 48	2840	4222 49	2840	-	-

Type	Rated Current (A)	Spreaders**				Motor Operator									
		3P (Set of 3)		4P (Set of 4)		24-230V Side		24V		48V		110V		230V	
		Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP	Cat.No	MRP
DPX ³ 160		6250 02	378	6250 06	572										
DPX ³ 250		6250 14	678	6250 18	1010	4210 60	27216	4210 61	24448	4210 61	24448	4210 61	24448	4210 61	24448
DPX ³ 630		6250 04	2624	6250 08	3564	-	-	0261 40	40172	0261 41	40172	-	-	0261 44	40172
DPX ³ 1600	Upto 1250 A	4226 24	■	4226 25	■	-	-	0261 24	78930	0261 25	89416	0261 26	■	0261 23	66052
	Above 1600 A	0262 73	■	0262 74	■	-	-	0261 19	79760	0261 28	68756	0261 29	■	0261 27	66684

■ Price available on request.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

MCCB Prices are without spreaders. For ordering spreaders refer above table

** Table for Spreaders.

Bold Cat.Nos are products normally available with Legrand (India) Stockists.

Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.

Bold packing quantity is our mandatory packing. Orders to be placed by

Legrand (India) Stockist in multiples of the same.



4210 16



4210 22

DPX³ 160

equipment and mounting accessories

Cat.Nos	Description	MRP* ₹ / Unit	Pack
Equipment for plug-in version			
4210 40	For DPX ³ 160 - 3P	■	1
4210 41	For DPX ³ 160 - 4P with or without earth leakage module	■	1
4210 44	Set of connectors for auxiliary contacts	■	1
4210 45	Key barrel and flat key for Padlocks	■	1
4210 46	Key barrel and star key for Padlocks	■	1
4210 47	Padlock accessory	■	1
Connection accessories			
4210 26	Set of 3 terminals for High capacity cage terminals	6212	1
4210 27	Set of 4 terminals for High capacity cage terminals	8210	1
4210 70	Set of 3 insulated shields	136	1
4210 28	Set of 3 terminals Screw terminals for copper bars connection	704	1
4210 29	Set of 4 terminals Screw terminals for copper bars connection	844	1
6250 02	Set of 3 spreaders for DPX ³ 160 3P	378	1
6250 06	Set of 4 spreaders for DPX ³ 160 4P	572	1



4210 40



4210 36

DPX³ 160

equipment and mounting accessories

Cat.Nos	Description	MRP* ₹ / Unit	Pack
Connection accessories			
4210 36	Set of 3 rear terminals for DPX ³ 160 3P	5812	1
4210 37	Set of 4 rear terminals for DPX ³ 160 4P	7798	1
Sealable terminal shields			
For front terminals			
4210 54	For DPX ³ 160 3P	6348	1
4210 55	For DPX ³ 160 3P	6704	1
For rear terminals			
4210 50	For DPX ³ 160 3P	4012	1
4210 51	For DPX ³ 160 4P	3568	1
Fixing plates			
4210 71	For DPX ³ 160 3P / 4P without earth leakage module	322	1
4210 73	For DPX ³ 160 4P with earth leakage module	812	1
4210 68	For DPX ³ 160 3P / 4P with side mounting motor operator	1478	1

DPX³ 160 and 250 common auxiliaries and accessories

Supply inverter type

4210 58	For fixed version	5358	1
4210 59	For plug-in and draw-out version	5710	1



4210 58

Rotary handles

4201 60	Standard handle for thermal magnetic DPX ³	1534	1
4201 61	Vari-depth standard handles	2222	1
4201 67	Key Lock for VD RH DPX ³ 160 & 250	2792	1
4201 65	Key Lock for DIR RH Type A DPX ³ 160 & 250	2792	1
4201 68	Key Lock for VD RH Type A DPX ³ 160 & 250	2792	1
4201 66	Key Lock for DIR RH Type B DPX ³ 160 & 250	2792	1
4201 69	Key Lock for VD RH Type B DPX ³ 160 & 250	2792	1

Motor-driven handles

4210 60	Side motor operator	27216	1
4210 61	Front motor operator	24448	1
4210 62	Ronis key barrel for front motor operator	■	1
4210 63	Profalux key barrel for front motor operator	■	1

SURGE PROTECTIVE DEVICES

Solutions for all installations and risk levels



Clear, easily identifiable marking for easier maintenance, design in line with other Legrand modular equipment, well thought features: the new SPDs integrate perfectly in the modular rows of Legrand distribution boards.

■ Price available on request.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

MCCB Prices are without spreaders. For ordering spreaders refer page no. 21

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 160 and 250 common auxiliaries and accessories

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Motor-driven handles

4210 64	Padlock for front motor operator	3314	1
4210 65	Ronis key barrel for side motor operator	25782	1
4210 66	Profalux key barrel for side motor operator	23428	1
4210 67	Padlock for side motor operator	3520	1

Auxiliary contacts

4210 10	1 N/C + 1 N/O auxiliary contact for rotary handles	1370	1
4210 11	Auxiliary contact or fault signalling contact	1070	1
4210 48	Signalling contact plugged-in/drawn-out (for DPX ³ plug-in version)	■	1

Locking accessory

4210 49	Padlock for locking in "open" position	1668	1
---------	--	------	---

Communication interface

4210 75	Modbus	20662	1
---------	--------	-------	---

DPX³ 250 equipment and mounting accessories

Equipment for plug-in version

4210 42	For DPX ³ 250 - 3P	■	1
4210 43	For DPX ³ 250 - 4P with or without earth leakage module	■	1
4210 44	Set of connectors for auxiliary contacts	■	1
4210 45	Key barrel and flat key N° ABA90GEL6149 for Padlocks	■	1
4210 46	Key barrel and star key N° HBA90GPS6149 for Padlocks	■	1
4210 47	Padlock accessory	■	1

Connection accessories

4210 30	Set of 3 cage terminals	2504	1
4210 31	Set of 4 cage terminals	3260	1
4210 70	Set of 3 phase barriers	136	1

■ Price available on request.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

DPX³ MCCB

Rotary handles for DPX³



- Smaller dimension of rotary handle base for better visibility of parameters and better access to trip unit
- Easy installation
- Spring for better play
- Door defeat mechanism for easy maintenance
- ON / OFF indication on the knob
- Pad Locking on the knob – upto 3 Locks

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 250

equipment and mounting accessories

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Connection accessories

6250 14	Set of 3 spreaders for DPX ³ 250 3P	676	1
6250 18	Set of 4 spreaders for DPX ³ 250 4P	1010	1
4210 38	Set of 3 rear terminals for DPX ³ 250 3P	5872	1
4210 39	Set of 4 rear terminals for DPX ³ 250 4P	7908	1

Sealable terminal shields

For front terminals

4210 56	For DPX ³ 250 3P	6574	1
4210 57	For DPX ³ 250 4P	6960	1

For rear terminals

4210 52	For DPX ³ 250 3P	3922	1
4210 53	For DPX ³ 250 4P	4312	1

Fixing plates

4210 72	For DPX ³ 250 3P / 4P without earth leakage module	330	1
4210 74	For DPX ³ 250 4P with earth leakage module	1402	1
4210 69	For DPX ³ 250 3P / 4P with side mounting motor operator	1452	1




4210 72

DPX³ 630

equipment and accessories

Plug-in version

4222 20	Set of incoming and outgoing terminals - 3P (6 terminals for 3P DPX ³ or 8 terminals for 4P DPX ³)	■	1
4222 21	Set of incoming and outgoing terminals - 4P (6 terminals for 3P DPX ³ or 8 terminals for 4P DPX ³)	■	1
4222 22	Front terminal mounting base for DPX ³ only - 3P	■	1
4222 24	Flat rear terminal mounting base for DPX ³ only - 3P	■	1
4222 23	Front terminal mounting base for DPX ³ only - 4P	■	1
4222 25	Flat rear terminal mounting base for DPX ³ only - 4P	■	1
4222 26	Front terminal mounting base for DPX ³ with earth leakage module - 4 P	■	1
4222 27	Flat rear terminal mounting base for DPX ³ with earth leakage module - 4P	■	1
4222 37	For fixing the signalling contact - 4P Cat.No 0265 74 on a DPX ³ plug-in version	■	1
4222 28	Set of 2 extractor handle	■	1
4222 29	Set of connectors (24-pin)	■	1



4222 25

■ Price available on request.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

DPX³ 630

equipment and accessories

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Draw-out version

4222 31	"Debro-lift" mechanism for DPX ³ base only - 3P	■	1
4222 32	"Debro-lift" mechanism for DPX ³ base only - 4P	■	1
4222 33	"Debro-lift" mechanism for DPX ³ base with elm - 4P	■	1
0265 76	One key for "Debro-lift" mechanism for DPX ³ only - Flat key	■	1
0265 78	Two keys (one key supplied) for "Debro-lift" mechanism for motorised DPX ³ or with rotary handle - Flat key	■	1
0263 48	One key for "Debro-lift" mechanism for DPX ³ only - Star key	■	1
0265 77	Two keys (one key supplied) for motorised DPX ³ or with rotary handle - Star key	■	1
0265 75	Handle for drawing-out for "Debro-lift" mechanism	■	1
0265 74	Signalling contact (plugged-in/drawn-out) for "Debro-lift" mechanism	■	1
4222 36	For fixing the signalling contact Cat.No 0265 74 on a DPX ³ draw-out version	■	1
4222 30	Block of 6 automatic auxiliary contacts for DPX ³ draw-out version (up to 2 blocks by DPX ³)	■	1



4222 32

Supply inverter type

0264 09	Plate for MCCB or trip-free switch fixed version	8062	1
0264 04	Plate for MCCB or trip-free switch plug-in and draw-out version	16710	1

Rotary handles

4201 62	Direct rotary handle	2454	1
4201 63	Vari-depth rotary handle	4220	1
4201 70	Key Lock for VD RH DPX3 630	2792	1
4201 71	Key Lock for VD RH Type A DPX ³ 630	2792	1
4201 72	Key Lock for VD RH Type B DPX ³ 630	2792	1

Motor-driven handles

0261 40	Front operated 24 V~	40172	1
0261 41	Front operated 48 V~	40172	1
0261 44	Front operated 230 V~	40172	1
0261 59	Lock and flat key	13542	1
0261 58	Lock and star key	13920	1



0261 40

Accessories

0262 30	Set of 3 Insulated shields	170	1
0262 44	Set of 2 sealable terminal shields - 3P	4912	1
0262 45	Set of 2 sealable terminal shields - 4P	4972	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 630 equipment and accessories

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Accessories

0262 40	Padlock for locking in "OPEN" position - 4P	1692	1
0262 46	Set of 4 adaptors + insulated shields for lug - 4P	7052	1
0262 47	Set of 4 extended front terminals - 4P	10550	1
6250 04	Set of incoming or outgoing spreaders - 3P	2624	1
6250 08	Set of incoming or outgoing spreaders - 4P	3564	1
0263 50	Set of incoming or outgoing swivel rear terminals - 3P	37034	1
0263 52	Set of incoming or outgoing flat rear terminals - 3P	34088	1
0263 51	Set of incoming or outgoing swivel terminals - 4P	49008	1
0263 53	Set of incoming or outgoing flat terminals - 4P	■	1
4222 34	Set of 2 IP 20 terminal covers - 3P	■	1
4222 35	Set of 2 IP 20 terminal covers - 4P	■	1



6250 04



4222 34



4222 35

DPX³ 1600 equipment and accessories

Draw-out version

4225 86	Front terminals - 3P	■	1
4225 88	Rear terminals - 3P	■	1
4225 87	Front terminals - 4P	■	1
4225 89	Rear terminals - 4P	■	1
4225 93	Debro-lift mechanism For DPX ³ 1600 - 3P	■	1
4225 94	Debro-lift mechanism for DPX ³ 1600 - 4P	■	1
4225 95	For fixing the signalling contact Cat.No 0265 74 on a DPX ³ draw-out version	■	1
0265 76	One key for "Debro-lift" mechanism for DPX ³ only - Flat key	■	1
0265 80	Two key (one key supplied) for motorised DPX ³ or with rotary handle	■	1
0263 48	One key for DPX ³ only - Starkey	■	1
0265 79	Two key (one key supplied) for motorised DPX ³ or with rotary handle	■	1
0265 75	Handle for drawing-out for "Debro-lift" mechanism	■	1
0265 74	Signalling contact (plugged-in/drawn-out)	■	1
4222 30	Block of 6 automatic auxiliary contacts for DPX ³ draw-out version (up to 2 blocks by DPX ³)	■	1



4225 88 + 4225 93

Supply inverter type

0264 10	Plate for MCCBs or trip-free switch fixed version	10192	1
0264 05	Plate for MCCBs or trip-free switch plug-in and draw-out version	22902	1

■ Price available on request.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

DPX³ 1600 equipment and accessories

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Rotary handles

0262 61	Standard (black) direct on DPX ³	3352	1
0262 83	Standard (black) vari-depth handle IP 55	6244	1
0262 93	Key barrel and flat key	13542	1
0262 94	Key barrel and star key	10528	1

Motor-driven handles

0261 54	Front operated 230 V~	70544	1
0261 24	Front operated 24 V~/= for In ≤ 1250 A	78930	1
0261 25	Front operated 48 V~/= for In ≤ 1250 A	89416	1

Motor-driven handles

0261 26	Front operated 110 V~/= for In ≤ 1250 A	■	1
0261 23	Front operated 230 V~/= for In ≤ 1250 A	66052	1
0261 19	Front operated 24 V~/= for In = 1600 A	79760	1
0261 28	Front operated 48 V~/= for In = 1600 A	68756	1
0261 29	Front operated 110 V~/= for In = 1600 A	■	1
0261 27	Front operated 230 V~/= for In = 1600 A	66684	1
0261 59	Key and flat key	13542	1
0261 58	Key and star key	13920	1

Accessories

0262 66	Set of 3 insulated shields	324	1
0262 64	Set of 2 sealable terminal shields - 3P	10476	1
0262 65	Set of 2 sealable terminal shields - 4P	7708	1
0262 60	Padlock for locking in "open" position	1958	1
0262 67	Set of 4 extended front short terminals for 630 - 1250 A (2 bars max. per pole)	12718	1
0262 68	Set of 4 extended front Long terminals for 1600 A (3 bars max. per pole)	18742	1
4226 24	Set of incoming or outgoing spreaders for 800 A & 1000 A - 3P	■	1
4226 25	Set of incoming or outgoing spreaders for 800 A & 1000 A - 4P	■	1
0262 73	Set of incoming or outgoing spreaders for 1250 A & 1600 A - 3P	■	1
0262 74	Set of incoming or outgoing spreaders for 1250 A & 1600 A - 4P	■	1
0263 80	Short rear terminals - 3P	■	1
0263 81	Long rear terminals - 3P	■	1
0263 82	Short rear terminals - 4P	■	1
0263 83	Long rear terminals - 4P	■	1
4225 90	Set of 2 IP 20 terminal covers - 3P	1280	1
4225 91	Set of 2 IP 20 terminal covers - 4P	2082	1
4225 92	External neutral - 4P	14138	1



0262 60



0262 67 + 0262 68

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

DPX³ 630 and 1600 common auxiliaries

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Common auxiliaries

4210 11	For signalling the state of the contacts or opening of the MCCB on a fault For DPX ³ /DPX ³ -I Changeover switch 3 A - 240 V~	1070	1
---------	--	------	---

Releases

Allow remote tripping of a DPX³

Time-lag undervoltage releases (800 ms)

Prevent false tripping in the event of power supply microbreaks.

Require a time-lag module connected to the undervoltage release Cat.No 4226 23

0261 90	Time-lag module 230 V~ 3 module	19946	1
0261 91	Time-lag module 400 V~ 3 module	29140	1
4226 23	Undervoltage release for DPX ³ 630 and 1600	■	1

Automation control unit

4226 80	Standard unit	69028	1
4226 82	Advanced unit	75304	1
4226 89*	Communication module	19674	1



4226 82

DPX³ 160, 250, 630 and 1600 power supervision system

Auxiliary power supply for DPX³

4210 83	Input voltage 24 V~/=	■	1
	2 modules		

RS485 Modbus communication interface

4210 75	DPX ³ electronic interface for connecting thermal-magnetic DPX ³ with residual current protection and electronic DPX ³ to an RS485 Modbus	■	1
---------	--	---	---

Modular power supply

0035 67	230 V~ - 27 V= - 0.6 A	■	1
	2 modules		

Communication and supervision

4149 48	Web servers for 32 metering points (meters or multi-function measuring units)	■	1
4149 49	Web servers for an unlimited number of metering points (meters or multi-function measuring units)	■	1

■ Price available on request.

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

♦ For Cat.Nos. and further details please contact th nearest branch.

▼ For communication add 422682 + 422689

DPX³ 160, 250, 630 and 1600 power supervision system

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Communication and supervision

4149 38	Legrand Software For 32 metering points (supplied on CD)	■	1
4149 39	Legrand Software For an unlimited number of metering points (supplied on CD)	■	1

Panel board display

0261 56	Allows to chek information comming from different protection devices: DX ³ -HP, DPX ³ , DMX ³ or EMDX ³	19300	1
---------	---	-------	---

Residual current relay

0260 88	Residual current relay to clip on module 2 rail □	19286	1
---------	--	-------	---

Coils

0260 92	Coil Ø35 mm	■	1
0260 93	Coil Ø80 mm	■	1
0260 94	Coil Ø110 mm	■	1
0260 95	Coil Ø140 mm	■	1
0260 96	Coil Ø210 mm	■	1
0260 97	Coil Ø150 mm - open	■	1
0260 98	Coil Ø300 mm - open	■	1



0261 56



0260 88



0260 93
coil for use
with relay



0260 98

Residual current relay and coils

Measurement and control of electric equipment

0261 35	Central position	■	1/2
0261 37	Microprocessor interface	■	1/3
0261 36	Interface signaling and control	■	1/2
0261 45	Kit configurator	■	1/4
0466 23	Stabilized power	■	1/20

DPX³ automatic transfer switch

DPX³ ready-to-install ATS kit without MCCBs

6253 80*	Ready to use assembly for DPX ³ 160	240654	1
6253 81*	Ready to use assembly for DPX ³ 160 & DPX ³ 250	236710	1
6253 82*	Ready to use assembly for DPX ³ 250	294810	1
6253 87*	Ready to use assembly for DPX ³ 630	285060	1
6253 93	Kit assembly for ATS for DPX ³ 160	16140	1
6253 94	Kit assembly for ATS for DPX ³ 250	20378	1
6253 95	Kit assembly for ATS for DPX ³ 630	26736	1



6253 93

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by
Legrand (India) Stockist in multiples of the same.